### EXPERIENCE MORE TOGETHER

### ZHEJIANG CFMOTO POWER CO., LTD.

No. 116, Wuzhou Road, Yuhang Economic Development Zone Hangzhou 311100, Zhejiang Province.

Tel: 86-571-89265799 Instagram: cfmoto\_world YouTube: CFMOTO Email: export@cfmoto.com Facebook: CFMOTO\_Official

Global.cfmoto.com Twitter: CFMOTO Official

Copyright Zheyang CFMOTO Preser on , Ltd. 2020. All rights reserved. Value's specifications are subject to change without cotics. Imagery may not reflect most current product specifications. CFMOTO measures the right to make improvements wish'or design changes without any obligation to mostly previously suld. assembled or fabricated equipment.



DESIGN MARCH 2020

















## 150NK

Experience more on the upgraded 150NK featuring Continental anti-lock braking systems (ABS) designed to help drivers retain steering control by preventing wheels from locking up during an episode of heavy braking.

#### Turquoise Blue

Nebula White

Length x Width x Height: 2025 x 770 x 1070 mm

Wheelbase: 1360 mm

Fuel Capacity: 10 L

Displacement: 149.5 cc

Engine Type: Single-cylinder, 4-stroke, liquid-cooled, vertical









# 650NK

Neatly packaged motor, 649cc, liquid-cooled, fuel-injected parallel-twin built in-house by CFMOTO with a 6-speed gearbox to extract the best out of that motor. The 650NK is enjoyable in both the city and out on the highway and it will give you a great first taste of big-bike thrills.

#### Athens Blue

Nebula White

Length x Width x Height: 2114 x 830 x 1105 mm

Wheelbase: 1415 mm Fuel Capacity: 17 L Displacement: 649 cc

Engine Type: 2-cylinder Inline, 4-stroke, liquid-cooled, DOHC



#### 250SR **300SR** 400GT 650MT ST PAPIO 150NK 250NK . 300NK . 650GT OVERAL 2010 x 750 x 1080 mm 2010 x 750 x 1080 mm 2100 x 784 x 1300 mm 2100 x 784 x 1340 mm 2180 x 835 x 1332 mm 1724 x 750 x 995 mm 2025 x 770 x 1070 mm 1990 x 780 x 1070 mm 1990 x 780 x 1070 mm Length x Width x Height 1360 mm 1360 mm 1415 mm 1415 mm 1425 mm 1214 mm 1360 mm 1360 mm 1360 mm Wheelbase 780 mm Seat Height 780 mm 795 mm 795 mm 820 / 840 mm 775 mm 775 mm 795 mm 795 mm Minimum Ground Clearance 135 mm 135 mm 150 mm 150 mm 170mm 145 mm 150 mm 150 mm 150 mm Curb Weight 165 kg 165 kg 226 kg 226 kg 218 kg 114 kg 142 kg 151 kg 151 kg 12 L 12 L 19 L 19 L 18 L 7 L 10 L 12.5 L 12.5 L **Fuel Capacity ENGINE** Single-cylinder, liquid-cooled, DOHC, 4 vales Single-cylinder, liquid-cooled, DOHC, 4 valves 2-cylinder inline, 4-stroke 2-cylinder inline, 4-stroke Single-cylinder, 4-stroke Engine Type 2-cylinder inline, 4-stroke Single cylinder, 4-stroke Single-cylinder, 4-stroke Single-cylinder, 4-stroke liquid-cooled liquid-cooled liquid-cooled, DOHC Air cooled, verticle liquid-cooled, vertical liquid-cooled, vertical liquid-cooled.vertical Clutch Type Slipper clutch, wet multi plate 249 cc 292.4 cc 400 cc 649.3 cc 649.3 cc 126 cc 149.5 cc 249 cc 292 cc Displacement Bore X Stroke 72 x 61.2 mm 78 x 61.2 mm 68.4 x 54.5 mm 83 x 60 mm 83 x 60 mm 57 x 49.4 mm 57 x 58.6 mm 72 x 61.2 mm 78 x 61.2 mm 11.3:1 9.0:1 Compression Ratio 11:1 11.1:1 11.3:1 11.3:1 10.5:1 11.3:1 11:1 EFI EFI EFI EFI EFI EFI EFI EFI EFI Fuel Supply ECU ECU ECU ECU ECU ECU ECU ECU ECU Ignition 6-speed 6-speed 6-speed 6-speed 6-speed 6-speed 6-speed 6-speed 6-speed Transmission 20.5 kW / 10000 rpm 21.4 kW / 8750 rpm 31.5 kW / 9250 rpm 46 kW / 9000 rpm 45 kW / 8750 rpm 7.0 kW / 8500 rpm 9.2 kW / 8250 rpm 19.5 kW / 9200 rpm 20.5 kW / 8500 rpm Power 22 N·m / 7500 rpm 25.3 N·m / 7250 rpm 36.5 N·m / 7500 rpm 58.5 kW / 7000 rpm 56 N·m / 7000 rpm 8.3 N·m / 6500 rpm 11.5 N·m / 6500 rpm 22 N·m / 7300 rpm 25 N·m / 7000 rpm Torque CHASSIS Front: 6 37 Telescopic upside down Front: 6 37 Telescopic upside down Front: Telescopic fork Front: KYB Telescopic fork Front: Telescopic upside down Front: Telescopic fork Front:Telescopic upside down Front: 6 37 Telescopic upside down Suspension hydraulic damping type hydraulic damping type Rear: Mono suspension hydraulic damping type hydraulic damping type Rear: Mono suspension Rear: Mono suspension side aligned Rear: KYB Mono suspension Rear: Mono suspension (adjustable preload and rebound) centre aligned centre aligned side aligned side aligned centre aligned single-piston caliper centre aligned centre aligned Front: Single disc Front: Double disc Front: Double disc Front: Double disc Front: Single disc Fornt: Telescopic upside down Fornt: Telescopic upside down Brake

J-JUAN double-piston caliper

J-JUAN single-piston caliper

Front: 120/70 ZR17 M/C, METZELER

Rear: 160/60 ZR17 M/C, METZELER

Matte Titanium Grey Matte Titanium Grey

Nebula White

Rear: Single disc

Front: MT 3.50 x 17

Rear: MT 4.50 x 17

Athens Blue

opposite four-piston caliper

Front: 100/80-17 M/C CST

Rear: 130/70-17 M/C CST

Turquoise Blue Nebula White

Rear: Mono suspension

Front: 110/70 R17 M/C

Rear: 140/60 R17 M/C

Continental AG, dual channel

Turquoise Blue Nebula Black

centre aligned

Front: 3.5 x 17 MT

Rear: 4.0 x 17 MT

Rear: Single disc

Front: 2.5 x 17 MT

Rear: 3.5 x 17 MT

centre aligned

double-piston caliper

single-piston caliper

Front: 2.75 x 12 MT

Rear: 3.5 x 12 MT

Front: 120/70-12

Rear: 130/70-12

Lemon Yellow Nebula White

Rear: Single disc

J-JUAN double-piston caliper

J-JUAN single-piston caliper

Front: 120/70 ZR17, METZELER

Rear: 160/60 ZR17, METZELER

Continental AG, dual channel

Matte Concept Nebula Black

Blue

Rear: Single disc

Front: MT 3.50 x 17

Rear: MT 4.50 x 17

J-JUAN double-piston caliper

J-JUAN single-piston caliper

Rear: Single disc

Front: 3.50 x 17 MT

Rear: 4.50 x 17 MT

Concept Blue

Front: 120/70 ZR17 CST

Rear: 160/60 ZR17 CST

Continental AG, dual channe

Nebula White

opposite four-piston caliper

Front: 3.0 x 17

Tire

ABS

MODEL

COLOR

Rear: 3.75 x 17

Front: 110/70 R17

Rear: 140/60 R17

single-piston floating caliper

Continental AG, dual channel

Turquoise Blue Nebula Black

opposite four-piston caliper

single-piston floating caliper

Continental AG, dual channel

Turquoise Blue Nebula Black

Rear: 6 220mm single disc

Front: 3.0 x 17

Rear: 3.75 x 17

Front: 110/70 R17

Rear: 140/60 R17

Rear: 6 240mm single disc Rear: 6 240mm single disc J.JUAN single-piston caliper J.JUAN single-piston caliper Front: KYB Telescopic fork Rear: Mono Suspension, side Rear: KYB Mono suspension side aligned Front: 3.5 x 17 MT Rear: 4.5 x 17 MT Front: 120/70 ZR17 M/C, PIRELLI Rear: 160/60 ZR17 M/C, PIRELLI Continental AG, dual channel Nebula White Athens Blue

2114 x 830 x 1105 mm

2-cylinder inline, 4-stroke

Slipper clutch, wet multi plate

liquid-cooled, DOHC

1415 mm

780 mm

150 mm

206 kg

649 cc

11.3:1

6-speed

EFI

ECU

83.0 x 60.0 mm

45.0 kW / 8750 rpm

56.0 N·m / 7000 rpm

J.JUAN double-piston caliper

17 L

400NK

2114 x 830 x 1105 mm

2-2-cylinder inline, 4-stroke

liquid-cooled, DOHC

Wet multi plate

68.4 x 54.5 mm

29.5 kW / 9500 rpm

32 N·m / 7750 rpm

Front: \$\phi\$ 300 mm double disc

J.JUAN double-piston caliper

Front: Telescopic fork

Nebula White

400 cc

11.1:1

6-speed

EFI

ECU

Rear: Mono suspension

Front: 110/70 R17 M/C

Rear: 140/60 R17 M/C

Continental AG, dual channel

Turquoise Blue Nebula Black

centre aligned

Front: 3.5 x 17 MT

Rear: 4.0 x 17 MT

1415 mm

780 mm

150 mm

206 kg

17 L